

Nail & Thread

10 YEARS

YOU WILL NEED

- *Anchor Mercer Crochet Cotton Balls tkt 20/Knitting Cotton Balls/Pearl Cotton*
- *30 cm x 30 cm Plywood board, 0.5 inches thick*
- *40 cm x 40 cm black Velvet fabric*
- *38 nos. of small brass nails*
- *Hammer , 1 Fevicol*

HOW TO DO

1. Stretch the black velvet fabric onto the plywood board neatly and paste in place without any wrinkles using fevicol.



Anchor

Nail & Thread


10 YEARS

YOU WILL NEED

- *Anchor Mercer Crochet Cotton Balls tkt 20/Knitting Cotton Balls/Pearl Cotton*
- *30 cm x 30 cm Plywood board, 0.5 inches thick*
- *40 cm x 40 cm black Velvet fabric*
- *38 nos. of small brass nails*
- *Hammer , 1 Fevicol*

HOW TO DO

2. Then draw out Diagram I onto squared paper following these measurements - $AB = AH = 11.5$ cm; $CF = EG = 20$ cm; $CD = DG = 11.5$ cm; $JK = 10.5$ cm; $AJ = AK = 11$ cm; Eye = 1 cm diameter at a distance of 5 cm from A.



Nail & Thread

10 YEARS


YOU WILL NEED

- *Anchor Mercer Crochet Cotton Balls tkt 20/Knitting Cotton Balls/Pearl Cotton*
- *30 cm x 30 cm Plywood board, 0.5 inches thick*
- *40 cm x 40 cm black Velvet fabric*
- *38 nos. of small brass nails*
- *Hammer , 1 Fevicol*

HOW TO DO

3. Place this paper centrally onto the black satin board and start nailing following this sequence :-

AB = AH = CD = GD = JK = 19 nails;
DE = DF = 13 nails;
Circle for the Eye = 6 nails.



Remember the nails have to be hammered on every line at an equal distance from each other.


Nail & Thread

10 YEARS

HOW TO DO

Tying-on and Tying-off

To begin threading a picture, tie the thread onto the starting nail, as firmly as possible, with an ordinary double knot. Tying off is done in the same way, with a double knot to a single nail. The ends can be cut off quite closely to give a neat effect ensuring that the knot does not open out easily. The neatest way to thread a circle of nails (as for an eye) is to start with a single knot, as the threading will be completed at the same nail, the ends can be knotted together and trimmed closely.



 Anchor


Nail & Thread

10 YEARS

HOW TO DO

Threading

Continuous threading is used when it is possible to move continuously round the row of nails in the same direction. See fig.(1) for example.




 Anchor

Nail & Thread

10 YEARS

HOW TO DO

Reverse threading is used when continuous threading is not possible. See fig(ii) for example.




 Anchor

Nail & Thread

10 YEARS

HOW TO DO

1. Using continuous threading, start on nail D [refer diagram]. Begin first circuit D-B; then B-K, K-A, A-G, G-D; continuing to finish C-A; then A-J, J-H, H-D, D-C. Tie off on nail C. 2. Using reverse threading, start on nail F and thread rows F-D, D-E; finishing on nail E. Tie off on nail E. 3. Thread the eye using circular threading every 3 nails.




 Anchor

Nail & Thread

10 YEARS

HOW TO DO

1. Using continuous threading, start on nail D [refer diagram J]. Begin first circuit D-B; then B-K, K-A, A-G, G-D; continuing to finish C-A; then A-J, J-H, H-D, D-C. Tie off on nail C. 2. Using reverse threading, start on nail F and thread rows F-D, D-E; finishing on nail E. Tie off on nail E. 3. Thread the eye using circular threading every 3 nails.



 Anchor